

TEMPORARY SIGNS

- Attention-getting devices are permitted for non-residential uses in the non-residential districts.
- Each establishment may have one freestanding and one wall-mounted attention-getting device installed or mounted simultaneously.
- Attention-getting devices are limited to the following display periods:
 - When the attention-getting device advertises an event that has a specific start and end time: A total display period of **30 days prior** to the start of the event, **the time period** of the event, and **three days following** the end of the event.
 - All other attention-getting device advertises (non-time specific): **30 days**.
 - A maximum of four display periods per year is permitted with a minimum of 30 days between displays.
- Attention-getting devices for multi-tenant sites are subject to the following rules:
 - The display period and separation period apply to each establishment individually rather than the site as a whole.
 - For multi-tenant sites, the property owner(s) and/or tenants must coordinate display of attention-getting devices among tenants.
- Freestanding attention-getting devices are subject to the following:
 - One freestanding attention-getting device is allowed for every 75 feet of street frontage. There must be a 15 foot separation between freestanding attention-getting devices.
 - Freestanding attention-getting devices are limited to a maximum height of **15 feet** and **32 square feet** in area.
 - Freestanding attention-getting devices must be located a minimum of **five feet from a lot line**, as measured from the outermost portion of the sign. No part of a freestanding attention-getting device may extend over the lot line.
- Wall-mounted attention-getting devices are limited to **32 square feet**.

SUBMITTAL

Please Attach:

- A picture of the sign
- Site plan showing the location of the sign, **with setbacks**.
- Completed Application

FEES


\$70 Plan Review

\$70 Permit

\$140

INSPECTIONS

Only **final inspection** is required for temporary signs



I have read and reviewed these requirements.

Signature of Applicant

Date